

Prepared for:
Venn Brewing Company

3550 East 46th St #140
Minneapolis, MN USA 55406


THC0026

Batch ID or Lot Number: Zenn Up Up Down Down	Test: Potency	Reported: 22Dec2023	USDA License: N/A
Matrix: Unit	Test ID: T000265884	Started: 22Dec2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 22Dec2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.158	0.631	ND	ND	# of Servings = 1, Sample Weight=485g
Cannabichromenic Acid (CBCA)	0.145	0.578	ND	ND	
Cannabidiol (CBD)	0.607	1.815	ND	ND	
Cannabidiolic Acid (CBDA)	0.622	1.861	ND	ND	
Cannabidivarin (CBDV)	0.143	0.429	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.259	0.776	ND	ND	
Cannabigerol (CBG)	0.090	0.359	ND	ND	
Cannabigerolic Acid (CBGA)	0.376	1.499	ND	ND	
Cannabinol (CBN)	0.117	0.468	ND	ND	
Cannabinolic Acid (CBNA)	0.257	1.023	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.448	1.786	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.407	1.622	9.330	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.360	1.437	ND	ND	
Tetrahydrocannabivarin (THCV)	0.082	0.326	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.318	1.267	ND	ND	
Total Cannabinoids			9.330	0.00	
Total Potential THC			9.330	0.00	
Total Potential CBD			ND	ND	

Final Approval



Sam Smith
22Dec2023
04:07:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
22Dec2023
04:36:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/e5a12fcb-7c66-4adb-a1bd-6798c9883a06>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
e5a12fcb7c664adba1bd6798c9883a06.1